

Model Chassis	Peso OPT	BARON 22			BARON 26			BARON 53G			BARON 54			BARON 73			BARON 581		
		FIAT Ducato X290	FIAT Ducato X290	FIAT Ducato X290	FIAT Ducato X290	FIAT Ducato X290	FIAT Ducato X290	FIAT Ducato X290	FIAT Ducato X290	FIAT Ducato X290	FIAT Ducato X290	FIAT Ducato X290	FIAT Ducato X290	FIAT Ducato X290	FIAT Ducato X290	FIAT Ducato X290	FIAT Ducato X290		
Power HP		5	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180
Power kW		96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130
Maximum permissible mass kg (*)		3500			3500			3500			3500			3500			3500		
Total mass in running order kg		2907			2992			3077			2907			3077			3077		
Max. user payload kg.		593			508			423			593			423			423		
Maximum permissible mass kg (*)		3650 / 3850			3650 / 3850			3650 / 3850			3650 / 3850			3650 / 3850			3650 / 3850		
Total mass in running order kg		3013 / 3013			3042 / 3042			3093 / 3093			2907 / 2907			3077 / 3077			3077 / 3077		
Max. user payload kg.		637 / 837			608 / 808			557 / 757			743 / 943			573 / 773			573 / 773		
max. towing capacity kg (braked)		2000			2000			2000			2000			2000			2000		
Maximum allowed mass kg (chassis Heavy 130cv/150-180cv)		4250 / 4400			4250 / 4400			4250 / 4400			4250 / 4400			4250 / 4400			4250 / 4400		
Number of beds		7			6			5			4			4			4		
Approved seats (3500 kg)		7			6			5			4			4			4		
Approved seats (3650 kg)		7			6			5			4			4			4		
Approved seats (3850 kg)		7			6			5			4			4			4		
5th homologated seat in running order		-----			-----			-----			Opt			Opt			Opt		
Centralized locking cabin body with remote control		-----			-----			-----			-----			-----			-----		
Heated windshield (only MOTORHOME)		-----			-----			-----			-----			-----			-----		
TECHNOTRIM LEVEL (silver dashboard)		Opt			Opt			Opt			Opt			Opt			Opt		
LOUNGETRIM LEVEL (bronze dashboard)		Opt			Opt			Opt			Opt			Opt			Opt		
Manual cab air conditioning		STD			STD			STD			STD			STD			STD		
Automatic cab air conditioning		Opt			Opt			Opt			Opt			Opt			Opt		
Automatic gear box	18 kg	Opt			Opt			Opt			Opt			Opt			Opt		
LED DRL		Opt			Opt			Opt			Opt			Opt			Opt		
Alloy wheels 15"	3 kg	Opt			Opt			Opt			Opt			Opt			Opt		
Alloy wheels (16 " only)	3 kg	Opt			Opt			Opt			Opt			Opt			Opt		
Steel wheels 16 "(Std. On chasis Heavy)	3 kg	Opt			Opt			Opt			Opt			Opt			Opt		
Rear parking sensors	2 kg	Opt			Opt			Opt			Opt			Opt			Opt		
Swivel cab seats		-----			-----			STD			STD			STD			STD		
Cab seat covers	3 kg	STD			STD			STD			STD			STD			STD		
Fresh water tank Lt. (total capacity when stopped)	--	110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.		
Fresh water tank Lt. (total capacity when on the way) **	--	20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.		
Waste water tank - Lt.	--	90 Lit.			125 Lit.			125 Lit.			100 Lit.			125 Lit.			125 Lit.		
Winter Pack ***	4 kg	Opt			Opt			Opt			Opt			Opt			Opt		
Three-way fridge L.	--	150 Lit.			150 Lit.			150 Lit.			100 Lit.			150 Lit.			150 Lit.		
Oven	14 kg	Opt			Opt			Opt			-----			Opt			Opt		

*) Massa calcolata su 130 cv

**) Verificare il riempimento a 20 Lt prima di mettersi in viaggio

**) WINTER PACK : Serbatoio acque grigie coibentato e valvola di scarico con resistenza antigelo

Model Chassis	Peso OPT	BARON	BARON	BARON	BARON	BARON	BARON
		22 FIAT Ducato X290	26 FIAT Ducato X290	53G FIAT Ducato X290	54 FIAT Ducato X290	73 FIAT Ducato X290	581 FIAT Ducato X290
Gas boiler with electronic ignition - 10 Lt.		-----	-----	-----	-----	-----	-----
Heating system / Heater with air ventilation		COMBI 4	COMBI 4	COMBI 4	COMBI 4	COMBI 4	COMBI 4
Digital control panel Truma CP plus	0,2 kg	Opt	Opt	Opt	Opt	Opt	Opt
Heating system COMBI D /COMBI E	2,0 kg	Opt	Opt	Opt	Opt	Opt	Opt
ALDE Heating	60,0 kg	-----	-----	-----	-----	-----	-----
Heated floor	7 kg	Opt	Opt	Opt	Opt	Opt	Opt
Sky-Dome on cabin roof		-----	-----	-----	STD	STD	STD
Rooflight living area							
Transparent rooflight (40x40 cm)		-----	-----	-----	-----	-----	-----
Front transparent rooflight (40x40 cm) / drop-down bed		-----	-----	-----	-----	-----	-----
Rooflight MIDI-HEKI, (50x70 cm)		STD	STD	STD	-----	-----	-----
Rooflight Kitchen area							
Transparent rooflight (40x40 cm)		-----	-----	-----	-----	-----	-----
Turbovent (40 x 40 cm)	1 kg	STD	STD	STD	STD	STD	STD
Rooflight in the Bathroom							
Transparent rooflight (28x28 cm)		-----	-----	-----	-----	-----	-----
Rear Rooflight							
Transparent rooflight (40x40 cm)		STD	STD	STD	STD	STD	STD
Rooflight MIDI-HEKI, (50x70 cm)		-----	-----	-----	-----	-----	-----
Rooflight HEKI 3 (60x90 cm)	6 kg	-----	-----	-----	-----	-----	-----
TV plate		STD	STD	STD	STD	STD	STD
Matress cover	2 kg	Opt	Opt	Opt	Opt	Opt	Opt
Cab folding bed		-----	-----	-----	-----	-----	-----
Front Electric drop-down bed		-----	-----	-----	STD	STD	STD
Beds with orthopedic staves (Cab folding/drop-down bed/rear bed)		STD/---/---	STD/---/---	STD/---/STD	---/STD/STD	---/STD/STD	---/STD/STD
Rear bed manually adjustable		-----	-----	-----	STD	-----	STD
Entrance door with mosquito net, window and dustbin	6 kg	-----	-----	-----	-----	-----	-----
Carpet living area	7 kg	Opt	Opt	Opt	Opt	Opt	Opt
Insulation entrance step	4 kg	Opt	Opt	Opt	Opt	Opt	Opt
Bathroom blinder		STD	STD	STD	STD	STD	STD
Cab pleated mats (A-Class)	8 kg	Opt	Opt	Opt	Opt	Opt	Opt
COLD KIT (Outside mats for cabin + dashboard mats)	8 kg	Opt	Opt	Opt	Opt	Opt	Opt
Solar Panel 120W + REGULATOR	11 kg	Opt	Opt	Opt	Opt	Opt	Opt
Pres-setting for rear-camera / Rear camera	1 kg	-----	-----	-----	-----	-----	-----

*) Calculated mass on light 130 hp

**) Pls. Check 20 lts. filling before driving

***) WINTER PACK : Insulated waste water tank and exaust valve with antifreezing resistor

*) Massa calcolata su 130 cv

**) Verificare il riempimento a 20 lt prima di mettersi in viaggio

***) WINTER PACK : Serbatoio acque grigie coibentato e valvola di scarico con resistenza antigelo

Model Chassis	Peso OPT	T-LOFT			T-LOFT			T-LOFT			T-LOFT		
		450			530			531			581		
		FIAT Ducato X290			FIAT Ducato X290			FIAT Ducato X290			FIAT Ducato X290		
Power HP		130	150	180	130	150	180	130	150	180	130	150	180
Power kW		96	110	130	96	110	130	96	110	130	96	110	130
Maximum permissible mass kg (*)		3500			3500			3500			3500		
Total mass in running order kg		3057			3072			3072			3072		
Max. user payload kg.		443			428			428			428		
Maximum permissible mass kg (*)		3650 / 3850			3650 / 3850			3650 / 3850			3650 / 3850		
Total mass in running order kg		3057 / 3057			3163 / 3163			3163 / 3163			3163 / 3163		
Max. user payload kg.		593 / 793			487 / 687			487 / 687			487 / 687		
max. towing capacity kg (braked)		2000			2000			2000			2000		
Maximum allowed mass kg (chassis Heavy 130cv/150-180cv)		4250 / 4400			4250 / 4400			4250 / 4400			4250 / 4400		
Number of beds		5			5			5			5		
Approved seats (3500 kg)		5			5			5			5		
Approved seats (3650 kg)		5			5			5			5		
Approved seats (3850 kg)		5			5			5			5		
5th homologated seat in running order		-----			-----			-----			-----		
Centralized locking cabin body with remote control		STD			STD			STD			STD		
Heated windshield (only MOTORHOME)		-----			-----			-----			-----		
TECHNOTRIM LEVEL (silver dashboard)		Opt			Opt			Opt			Opt		
LOUNGETRIM LEVEL (bronze dashboard)		Opt			Opt			Opt			Opt		
Manual cab air conditioning		STD			STD			STD			STD		
Automatic cab air conditioning		Opt			Opt			Opt			Opt		
Automatic gear box	18 kg	Opt			Opt			Opt			Opt		
LED DRL		Opt			Opt			Opt			Opt		
Alloy wheels 15"	3 kg	-----			-----			-----			-----		
Alloy wheels (16 " only)	3 kg	Opt			Opt			Opt			Opt		
Steel wheels 16 "(Std. On chasis Heavy)	3 kg	STD			STD			STD			STD		
Rear parking sensors	2 kg	Opt			Opt			Opt			Opt		
Swivel cab seats		STD			STD			STD			STD		
Cab seat covers	3 kg	STD			STD			STD			STD		
Fresh water tank Lt. (total capacity when stopped)	--	110 Lit.			115 Lit.			115 Lit.			115 Lit.		
Fresh water tank Lt. (total capacity when on the way) **	--	20 Lit.			20 Lit.			20 Lit.			20 Lit.		
Waste water tank - Lt.	--	100 Lit.			135 Lit.			135 Lit.			135 Lit.		
Winter Pack ***	4 kg	STD			STD			STD			STD		
Three-way fridge L.	--	142 Lit.			150 Lit.			150 Lit.			150 Lit.		
Oven	14 kg	Opt			Opt			Opt			Opt		

*) Massa calcolata su 130 cv

**) Verificare il riempimento a 20 lt prima di mettersi in viaggio

***) WINTER PACK : Serbatoio acque grigie coibentato e valvola di scarico con resistenza antigelo

Model Chassis	Peso OPT	T-LOFT	T-LOFT	T-LOFT	T-LOFT
		450 FIAT Ducato X290	530 FIAT Ducato X290	531 FIAT Ducato X290	581 FIAT Ducato X290
Gas boiler with electronic ignition - 10 Lt.		STD	STD	STD	STD
Heating system / Heater with air ventilation		COMBI 4D	COMBI 4D	COMBI 4D	COMBI 4D
Digital control panel Truma CP plus	0,2 kg	STD	STD	STD	STD
Heating system COMBI D /COMBI E	2,0 kg	Opt	Opt	Opt	Opt
ALDE Heating	60,0 kg	-----	-----	-----	-----
Heated floor	7 kg	Opt	Opt	Opt	Opt
Sky-Dome on cabin roof		STD	STD	STD	STD
Rooflight living area					
Transparent rooflight (40x40 cm)		-----	-----	-----	-----
Front transparent rooflight (40x40 cm) / drop-down bed		-----	-----	-----	-----
Rooflight MIDI-HEKI, (50x70 cm)		-----	-----	-----	-----
Rooflight Kitchen area					
Transparent rooflight (40x40 cm)		STD	STD	STD	STD
Turbovent (40 x 40 cm)	1 kg	Opt	Opt	Opt	Opt
Rooflight in the Bathroom					
Transparent rooflight (28x28 cm)		-----	-----	-----	-----
Rear Rooflight					
Transparent rooflight (40x40 cm)		STD	STD	STD	STD
Rooflight MIDI-HEKI, (50x70 cm)		-----	-----	-----	-----
Rooflight HEKI 3 (60x90 cm)	6 kg	Opt	Opt	Opt	Opt
TV plate		STD	STD	STD	STD
Matress cover	2 kg	Opt	Opt	Opt	Opt
Cab folding bed		-----	-----	-----	-----
Front Electric drop-down bed		STD	STD	STD	STD
Beds with orthopedic staves (Cab folding/drop-down bed/rear bed)		STD	STD	STD	STD
Rear bed manually adjustable		Opt	-----	-----	Opt
Entrance door with mosquito net, window and dustbin	6 kg	STD	STD	STD	STD
Carpet living area	7 kg	Opt	Opt	Opt	Opt
Insulation entrance step	4 kg	Opt	Opt	Opt	Opt
Bathroom blinder		STD	STD	STD	STD
Cab pleated mats (A-Class)	8 kg	Opt	Opt	Opt	Opt
COLD KIT (Outside mats for cabin + dashboard mats)	8 kg	Opt	Opt	Opt	Opt
Solar Panel 120W + REGULATOR	11 kg	Opt	Opt	Opt	Opt
Pres-setting for rear-camera / Rear camera	1 kg	STD / Opt	STD / Opt	STD / Opt	STD / Opt

*) Calculated mass on light 130 hp

**) Pls. Check 20 lts. filling before driving

***) WINTER PACK : Insulated waste water tank and exhaust valve with antifreezing resistor

*) Massa calcolata su 130 cv

**) Verificare il riempimento a 20 lt prima di mettersi in viaggio

***) WINTER PACK : Serbatoio acque grigie coibentato e valvola di scarico con resistenza antigelo

Model Chassis	Peso OPT	MAGNUM			MAGNUM			MAGNUM			MAGNUM		
		450			530			531			581		
		FIAT Ducato X290			FIAT Ducato X290			FIAT Ducato X290			FIAT Ducato X290		
Power HP		130	150	180	130	150	180	130	150	180	130	150	180
Power kW		96	110	130	96	110	130	96	110	130	96	110	130
Maximum permissible mass kg (*)		3500			3500			3500			3500		
Total mass in running order kg		3077			3072			3072			3072		
Max. user payload kg.		423			428			428			428		
Maximum permissible mass kg (*)		3650 / 3850			3650 / 3850			3650 / 3850			3650 / 3850		
Total mass in running order kg		3103 / 3103			3163 / 3163			3163 / 3163			3163 / 3163		
Max. user payload kg.		547 / 747			487 / 687			487 / 687			487 / 687		
max. towing capacity kg (braked)		2000			2000			2000			2000		
Maximum allowed mass kg (chassis Heavy 130cv/150-180cv)		4250 / 4400			4250 / 4400			4250 / 4400			4250 / 4400		
Number of beds		5			5			5			5		
Approved seats (3500 kg)		5			5			5			5		
Approved seats (3650 kg)		5			5			5			5		
Approved seats (3850 kg)		5			5			5			5		
5th homologated seat in running order		-----			-----			-----			-----		
Centralized locking cabin body with remote control		STD			STD			STD			STD		
Heated windshield (only MOTORHOME)		Opt			Opt			Opt			Opt		
TECHNOTRIM LEVEL (silver dashboard)		Opt			Opt			Opt			Opt		
LOUNGETRIM LEVEL (bronze dashboard)		Opt			Opt			Opt			Opt		
Manual cab air conditioning		STD			STD			STD			STD		
Automatic cab air conditioning		Opt			Opt			Opt			Opt		
Automatic gear box	18 kg	Opt			Opt			Opt			Opt		
LED DRL		STD			STD			STD			STD		
Alloy wheels 15"	3 kg	-----			-----			-----			-----		
Alloy wheels (16 " only)	3 kg	Opt			Opt			Opt			Opt		
Steel wheels 16 "(Std. On chasis Heavy)	3 kg	STD			STD			STD			STD		
Rear parking sensors	2 kg	Opt			Opt			Opt			Opt		
Swivel cab seats		STD			STD			STD			STD		
Cab seat covers	3 kg	-----			-----			-----			-----		
Fresh water tank Lt. (total capacity when stopped)	--	110 Lit.			115 Lit.			115 Lit.			110 Lit.		
Fresh water tank Lt. (total capacity when on the way) **	--	20 Lit.			20 Lit.			20 Lit.			20 Lit.		
Waste water tank - Lt.	--	100 Lit.			135 Lit.			225 Lit.			135 Lit.		
Winter Pack ***	4 kg	STD			STD			STD			STD		
Three-way fridge L.	--	142 Lit.			150 Lit.			150 Lit.			150 Lit.		
Oven	14 kg	Opt			Opt			Opt			Opt		

*) Massa calcolata su 130 cv

**) Verificare il riempimento a 20 lt prima di mettersi in viaggio

***) WINTER PACK : Serbatoio acque grigie coibentato e valvola di scarico con resistenza antigelo

Model Chassis	Peso OPT	MAGNUM	MAGNUM	MAGNUM	MAGNUM
		450 FIAT Ducato X290	530 FIAT Ducato X290	531 FIAT Ducato X290	581 FIAT Ducato X290
Gas boiler with electronic ignition - 10 Lt.		STD	STD	STD	STD
Heating system / Heater with air ventilation		COMBI 4D	COMBI 4D	COMBI 4D	COMBI 4D
Digital control panel Truma CP plus	0,2 kg	STD	STD	STD	STD
Heating system COMBI D /COMBI E	2,0 kg	Opt	Opt	Opt	Opt
ALDE Heating	60,0 kg	-----	-----	Opt	-----
Heated floor	7 kg	Opt	Opt	Opt	Opt
Sky-Dome on cabin roof		-----	-----	-----	-----
Rooflight living area					
Transparent rooflight (40x40 cm)		-----	-----	-----	-----
Front transparent rooflight (40x40 cm) / drop-down bed		-----	-----	-----	-----
Rooflight MIDI-HEKI, (50x70 cm)		STD	STD	STD	STD
Rooflight Kitchen area					
Transparent rooflight (40x40 cm)		STD	STD	STD	STD
Turbovent (40 x 40 cm)	1 kg	Opt	Opt	Opt	Opt
Rooflight in the Bathroom					
Transparent rooflight (28x28 cm)		-----	-----	-----	-----
Rear Rooflight					
Transparent rooflight (40x40 cm)		STD	STD	STD	STD
Rooflight MIDI-HEKI, (50x70 cm)		-----	-----	-----	-----
Rooflight HEKI 3 (60x90 cm)	6 kg	Opt	Opt	Opt	Opt
TV plate		STD	STD	STD	STD
Matress cover	2 kg	Opt	Opt	Opt	Opt
Cab folding bed		-----	-----	-----	-----
Front Electric drop-down bed		-----	-----	-----	-----
Beds with orthopedic staves (Cab folding/drop-down bed/rear bed)		---STD/STD	---STD/STD	---STD/STD	---STD/STD
Rear bed manually adjustable		Opt	-----	-----	Opt
Entrance door with mosquito net, window and dustbin	6 kg	STD	STD	STD	STD
Carpet living area	7 kg	Opt	Opt	Opt	Opt
Insulation entrance step	4 kg	Opt	Opt	Opt	Opt
Bathroom blinder		STD	STD	STD	STD
Cab pleated mats (A-Class)	8 kg	STD	STD	STD	STD
COLD KIT (Outside mats for cabin + dashboard mats)	8 kg	Opt	Opt	Opt	Opt
Solar Panel 120W + REGULATOR	11 kg	Opt	Opt	Opt	Opt
Pres-setting for rear-camera / Rear camera	1 kg	STD / Opt	STD / Opt	STD / Opt	STD / Opt

*) Calculated mass on light 130 hp

**) Pls. Check 20 lts. filling before driving

***) WINTER PACK : Insulated waste water tank and exhaust valve with antifreezing resistor

*) Massa calcolata su 130 cv

**) Verificare il riempimento a 20 lt prima di mettersi in viaggio

***) WINTER PACK : Serbatoio acque grigie coibentato e valvola di scarico con resistenza antigelo